



Tubo LED



Suspended LED luminaire with subtle design for representative rooms. Possibility of painting in any RAL colour. Electric suspension in set.

Materials: Electrostatically painted aluminium profile (standard colour: anthracite), translucent diffuser

Installation: Suspended

Accessories: Empty modules: 400mm, 800mm, 120mm

Power: 230 V

ELECTRICAL DATA

Light source	LED
LED modules	1x
Number of light sources	1
Type of equipment	AC
Voltage rating	220 ... 240 V
Light source included	Yes
SELV	No

MECHANICAL DATA

Type of installation	Suspended
Housing material	Aluminum
Electrical track connection	No

INFORMATION

Colour	Anthracite
Operating temperature range	-20 ... 40 °C

CERTIFICATES

Degree of protection (IP)	IP20
Class of protection	I
Light source protection	Yes
CE	Yes
HACCP+	Yes
EAC	Yes

LIGHT DATA

Light colour	White
Color rendering index	80
Light distribution	DI
Class of luminaire	I
Light output degradation	B10
Lumen maintenance	L90
Lifetime	> 60000 h
MacAdam	SDCM 3
Lamp Lumen Maintenance Factor (after 60 000h)	91 %

OPTICAL DATA

Diffuser material	Opal/mat plastic
-------------------	------------------

AVAILABLE VARIANTS

Product code	Luminaire power [W]	Luminaire luminous flux [lm]	Luminaire's luminous efficacy [lm/W]	Beam angle [°]	Colour temperature
AZ001.4466.830.A000 PX4088801	15	1420	95	30	3000K
AZ001.4466.840.A000 PX4088816	15	1460	97	30	4000K
AZ002.4466.830.A000 PX4088806	15	1430	95	50	3000K
AZ002.4466.840.A000 PX4088821	15	1470	98	50	4000K


AVAILABLE VARIANTS

Product code	Luminaire power [W]	Luminaire luminous flux [lm]	Luminaire's luminous efficacy [lm/W]	Beam angle [°]	Colour temperature
AZ003.4466.830.A000 PX4088811	15	1330	89	70	3000K
AZ003.4466.840.A000 PX4088826	15	1370	91	70	4000K
AZ004.4466.830.A000 PX4088831	21	1960	93	30	3000K
AZ004.4466.840.A000 PX4088846	21	2020	96	30	4000K
AZ005.4466.830.A000 PX4088836	21	1970	94	50	3000K
AZ005.4466.840.A000 PX4088851	21	2030	97	50	4000K
AZ006.4466.830.A000 PX4088841	21	1830	87	70	3000K
AZ006.4466.840.A000 PX4088856	21	1890	90	70	4000K
AZ007.4466.830.A000 PX4088861	29	2550	88	30	3000K
AZ007.4466.840.A000 PX4088876	29	2630	91	30	4000K
AZ008.4466.830.A000 PX4088866	29	2560	88	50	3000K
AZ008.4466.840.A000 PX4088881	29	2640	91	50	4000K
AZ009.4466.830.A000 PX4088871	29	2390	82	70	3000K
AZ009.4466.840.A000 PX4088886	29	2460	85	70	4000K

DIMENSIONS

H [mm]	F [mm]
200	80

H = Height / Depth | F = Outer diameter



ACCESSORIES

Structural element



Tubo LED empty module
Pieces in set: 1

FL013.44.0400 PX4088911	400 mm	Anthracite
----------------------------	--------	------------


FL013.44.0800 PX4088916	800 mm	Anthracite
----------------------------	--------	------------

FL013.44.1200 PX4088921	1200mm	Anthracite
----------------------------	--------	------------


TUBO LED



TUBO LED + 1200



TUBO LED; +400mm; +800mm; +1200mm



White version - RAL colour on demand



