




Photography: Iñigo Bujedo-Aguirre Architecture & Interiors

HUBBLE






		P	CCT	I	Flux	LOR	
HUBBLE 1	A276-11- Ⓞ -1- WT NT	16,5W	3000K	500mA	2450Lm	90%	
	A276-11- Ⓞ -2- WT NT	16,5W	4000K	500mA	2475Lm	90%	
HUBBLE 2	A276-21- Ⓞ -1- WT NT	30,5W	3000K	900mA	4050Lm	90%	
	A276-21- Ⓞ -2- WT NT	30,5W	4000K	900mA	4120Lm	90%	
HUBBLE 3	A276-31- Ⓞ -1- WT NT	41W	3000K	1200mA	5000Lm	90%	
	A276-31- Ⓞ -2- WT NT	41W	4000K	1200mA	5100Lm	90%	
	PUSH	A276-32- Ⓞ -1- WT NT	41W	3000K	1200mA	5000Lm	90%
		A276-32- Ⓞ -2- WT NT	41W	4000K	1200mA	5100Lm	90%
	DALI	A276-34- Ⓞ -1- WT NT	41W	3000K	1200mA	5000Lm	90%
		A276-34- Ⓞ -2- WT NT	41W	4000K	1200mA	5100Lm	90%



Ⓞ BEAM OPTIONS

1	17°
2	28°
3	40°



ACCESSORIES

NOT SOLD SEPARATELY

HUBBLE Anti-glare Honeycomb Louver* 0802-02-00



HUBBLE Elliptical Refractor* 0802-04-00



HUBBLE Beam Mixer Diffuser* 0805-03-00



HUBBLE High Chromatic LED*



ⓘ » 366

COLOUR | WT □ RAL 9016 | NT ■ RAL 9005 |

MATERIAL | AL | GL-TRANS |

ⓘ » 368

OTHER CCT PLEASE CONSULT | * AFFECTS THE LIGHTING PARAMETERS

Ⓜ & Ⓜ » PLEASE CONSULT



		P	CCT	I	Flux	LOR
HUBBLE Double 1	A277-11- Ⓞ -1- WT NT	2 X 16,5W	3000K	500mA	2 X 2450Lm	90%
	A277-11- Ⓞ -2- WT NT	2 X 16,5W	4000K	500mA	2 X 2475Lm	90%
HUBBLE Double 2	A277-21- Ⓞ -1- WT NT	2 X 30,5W	3000K	900mA	2 X 4050Lm	90%
	A277-21- Ⓞ -2- WT NT	2 X 30,5W	4000K	900mA	2 X 4120Lm	90%
HUBBLE Double 3	A277-31- Ⓞ -1- WT NT	2 X 41W	3000K	1200mA	2 X 5000Lm	90%
	A277-31- Ⓞ -2- WT NT	2 X 41W	4000K	1200mA	2 X 5100Lm	90%
	A277-32- Ⓞ -1- WT NT	2 X 41W	3000K	1200mA	2 X 5000Lm	90%
	A277-32- Ⓞ -2- WT NT	2 X 41W	4000K	1200mA	2 X 5100Lm	90%
	A277-34- Ⓞ -1- WT NT	2 X 41W	3000K	1200mA	2 X 5000Lm	90%
	A277-34- Ⓞ -2- WT NT	2 X 41W	4000K	1200mA	2 X 5100Lm	90%



220 V~



IP20

CRI>90


L80B10 >60.000h



Ⓞ BEAM OPTIONS

1	17°
2	28°
3	40°

HUBBLE DOUBLE



ACCESSORIES

NOT SOLD SEPARATELY

HUBBLE Anti-glare Honeycomb Louver* 0802-02-00



HUBBLE Elliptical Refractor* 0802-04-00



HUBBLE Beam Mixer Diffuser* 0805-03-00



HUBBLE High Chromatic LED*



ⓘ » 366

COLOUR | WT □ RAL 9016 | NT ■ RAL 9005 |

MATERIAL | AL | GL-TRANS |

ⓘ » 368

OTHER CCT PLEASE CONSULT | * AFFECTS THE LIGHTING PARAMETERS

ⓧ & 📶 » PLEASE CONSULT